

Pipes

Conductive Petrol Pipes with permeation barrier and secondary containment

	Article number	Description	Remark	ø (mm)	Length (m)
	KP 125/110SCEC6	Secondary contained Lined pipe Conductive	12 per package	125/110	5,8
	KP 75/63SCEC6	Secondary contained Lined pipe Conductive	35 per package	75/63	5,8
	KP 75/63SCEC30	Secondary contained Lined pipe Conductive	Coil	75/63	30
	KP 75/63SCEC60	Secondary contained Lined pipe Conductive	Coil	75/63	60

Petrol Pipes with permeation barrier and secondary containment

	Article number	Description	Remark	ø (mm)	Length (m)
	KP 125/110SC6	Secondary contained Lined pipe	12 per package	125/110	5,8
	KP 75/63SC6	Secondary contained Lined pipe	35 per package	75/63	5,8
	KP 75/63SC30	Secondary contained Lined pipe	Coil	75/63	30
	KP 75/63SC60	Secondary contained Lined pipe	Coil	75/63	60

Conductive Petrol Pipes with permeation barrier

	Article number	Description	Remark	ø (mm)	Length (m)
	KP 110EC6	Lined pipe Conductive	20 per package	110	5,8
	KP 90EC6	Lined pipe Conductive	24 per package	90	5,8
	KP 63EC6	Lined pipe Conductive	48 per package	63	5,8
	KP 63EC85	Lined pipe Conductive	Coil	63	85
	KP 54EC6	Lined pipe Conductive	63 per package	54	5,8
	KP 54EC100	Lined pipe Conductive	Coil	54	100

Pipes

Petrol Pipes with permeation barrier

	Article number	Description	Remark	ø (mm)	Length (m)
	KP 110E6	Lined pipe	20 per package	110	5,8
	KP 90E6	Lined pipe	24 per package	90	5,8
	KP 63E6	Lined pipe	48 per package	63	5,8
	KP 63E85	Lined pipe	Coil	63	85
	KP 54E6	Lined pipe	63 per package	54	5,8
	KP 54E100	Lined pipe	Coil	54	100
	KP 32E200	Lined pipe	Coil	32	200
	KP 25E200	Lined pipe	Coil	25	200

Petrol Pipes without permeation barrier

	Article number	Description	Remark	ø (mm)	Length (m)
	KP 110U6	Unlined pipe	20 per package	110	5,8
	KP 90U6	Unlined pipe	24 per package	90	5,8
	KP 63U6	Unlined pipe	48 per package	63	5,8
	KP 63U85	Unlined pipe	Coil	63	85
	KP 54U100	Unlined pipe	Coil	54	100

Conductive connectors for welding parts

	Article number	Description	Remark	ø (mm)	Pack/size
	KP CC-110	Conductive connector		110	24
	KP CC-90	Conductive connector		90	30
	KP CC-63	Conductive connector		63	30
	KP CC-54	Conductive connector		54	50

End caps

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 10-110	End cap		110	1
	KP 10-90	End cap		90	1
	KP 10-63	End cap		63	1

Bends

Conductive secondary contained integrated bends with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 3-125/110SCEC	Integrated bend 90° Lined Conductive		125/110	I
	KP 3-75/63SCEC	Integrated bend 90° Lined Conductive		75/63	I
	KP 4-125/110SCEC	Integrated bend 45° Lined Conductive		125/110	I
	KP 4-75/63SCEC	Integrated Bend 45° Lined Conductive		75/63	I

Secondary contained integrated bends with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 3-125/110SC	Integrated bend 90°, lined		125/110	I
	KP 3-75/63SC	Integrated bend 90°, lined		75/63	I
	KP 4-125/110SC	Integrated bend 45°, lined		125/110	I
	KP 4-75/63SC	Integrated bend 45°, lined		75/63	I

Bends

Conductive formed bends 90° with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 3-110FC	Bend 90° Lined Conductive		110	1
	KP 3-110FCL	Bend 90° Lined Conductive	Long type	110	1
	KP 3-90FC	Bend 90° Lined Conductive		90	1
	KP 3-90FCL	Bend 90° Lined Conductive	Long type	90	1
	KP 3-63FC	Bend 90° Lined Conductive		63	8
	KP 3-63FCL	Bend 90° Lined Conductive	Long type	63	1
	KP 3-54FC	Bend 90° Lined Conductive		54	10
	KP 3-54FCL	Bend 90° Lined Conductive	Long type	54	1

Formed bends 90° with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 3-110F	Bend 90°, lined		110	1
	KP 3-110FL	Bend 90°, lined	Long type	110	1
	KP 3-90F	Bend 90°, lined		90	1
	KP 3-90FL	Bend 90°, lined	Long type	90	1
	KP 3-63F	Bend 90°, lined		63	8
	KP 3-63FL	Bend 90°, lined	Long type	63	1
	KP 3-54F	Bend 90°, lined		54	10
	KP 3-54FL	Bend 90°, lined	Long type	54	1

Bends

Conductive formed bends 45° with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 4-110FC	Bend 45°, Lined Conductive		110	1
	KP 4-90FC	Bend 45°, Lined Conductive		90	1
	KP 4-63FC	Bend 45°, Lined Conductive		63	20
	KP 4-54FC	Bend 45°, Lined Conductive		54	20

Formed bends 45° with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 4-110F	Bend 45°, lined		110	1
	KP 4-90F	Bend 45°, lined		90	1
	KP 4-63F	Bend 45°, lined		63	20
	KP 4-54F	Bend 45°, lined		54	20

Moulded bends 90°

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 3-110	Bend 90°		110	10
	KP 3-90	Bend 90°		90	12
	KP 3-63	Bend 90°		63	20
	KP 3-32	Bend 90°		32	25

Moulded bends 45°

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 4-110	Bend 45°		110	10
	KP 4-90	Bend 45°		90	10
	KP 4-63	Bend 45°		63	8

Tees

Conductive formed tees with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 8-110FC	Tee, Lined Conductive		110	1
	KP 8-110FCL	Tee, Lined Conductive	Long type	110	1
	KP 8-90FC	Tee, Lined Conductive		90	1
	KP 8-90FCL	Tee, Lined Conductive	Long type	90	1
	KP 8-63FC	Tee, Lined Conductive		63	6
	KP 8-63FCL	Tee, Lined Conductive	Long type	63	1
	KP 8-54FC	Tee, Lined Conductive		54	8
	KP 8-54FCL	Tee, Lined Conductive	Long type	54	1
	KP 84-63FCL	Tee, Lined Conductive	Long type 45°	63	1
	KP 84-54FCL	Tee, Lined Conductive	Long type 45°	54	1

Formed tees with permeation barrier

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 8-110F	Tee, lined		110	1
	KP 8-110FL	Tee, lined	Long type	110	1
	KP 8-90F	Tee, lined		90	1
	KP 8-90FL	Tee, lined	Long type	90	1
	KP 8-63F	Tee, lined		63	6
	KP 8-63FL	Tee, lined	Long type	63	1
	KP 8-54F	Tee, lined		54	8
	KP 8-54FL	Tee, lined	Long type	54	1
	KP 84-63FL	Tee, lined	Long type 45°	63	1
	KP 84-54FL	Tee, lined	Long type 45°	54	1

Tees

Conductive secondary contained integrated tee

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 8-75/63SCEC	Secondary contained Integrated tee Lined Conductive		75/63	I

Moulded tees

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 8-90/63	Tee, reduced		90/90/63	6
	KP 8-63/32	Tee, reduced		63/63/32	12
	KP 8-32	Tee, equal		32	I

Welding sockets

Secondary contained integrated transition fittings

	Article number	Description	Remark	ø (mm)	Pack/size
	KPT125/110SC-L	Integrated transition fitting	With test port	125/110	8
	KPT75/63SC	Integrated transition fitting	With test port	75/63	12
	KPT125/110B-L	Integrated transition fitting	No test port	125/110	8
	KPT75/63B	Integrated transition fitting	No test port	75/63	12

Secondary contained integrated welding sockets

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 2-125/110SC	Integrated welding socket		125/110	12
	KP 2-75/63SC	Integrated welding socket		75/63	18

Entry boots

	Article number	Description	Remark	ø (mm)	Pack/size
	KPTM125/110SC-01	Threaded entry boot with test port		125/110	6
	KPTM75/63SC-01	Threaded entry boot with test port		75/63	8

Welding socket

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 2-110	Welding socket		110	10
	KP 2-90	Welding socket		90	18
	KP 2-63	Welding socket		63	45
	KP 2-54	Welding socket		54	40
	KP 2-32	Welding socket		32	1

Welding sockets

Weldable integrated tees

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 28-110	Weldable tee		110	5
	KP 28-90	Weldable tee		90	5
	KP 28-63	Weldable tee		63	12

Weldable integrated reductions

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 29-90/63	Weldable reduction		90/63	12

Weldable integrated bends 90°

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 23-110	Weldable bend 90°		110	8
	KP 23-90	Weldable bend 90°		90	14
	KP 23-63	Weldable bend 90°		63	18

Weldable integrated bends 45°

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 24-110	Weldable bend 45°		110	6
	KP 24-90	Weldable bend 45°		90	16
	KP 24-63	Weldable bend 45°		63	24

Reductions

Conductive moulded reductions

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 9-90/63EC	Conductive reduction		90/63	1

Moulded reductions

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 9-110/90	Reduction		110/90	1
	KP 9-110/63	Reduction		110/63	1
	KP 9-90/63	Reduction		90/63	12
	KP 9-63/54	Reduction		63/54	12
	KP 9-63/32	Reduction		63/32	1

Termination/Transition fittings plastic to steel

Conductive termination fittings female, plastic to steel

	Article number	Description	Remark	ø (mm)	Pack/size
	KP C I I -110F	Rc 4", plastic/metal Conductive	Female	110	4
	KP C I I -90F	Rc 3", plastic/metal Conductive	Female	90	6
	KP C I I -63F	Rc 2", plastic/metal Conductive	Female	63	12
	KP C I I -54F	Rc 1 1/2", plastic/metal Conductive	Female	54	15

Conductive termination fittings male, plastic to steel

	Article number	Description	Remark	ø (mm)	Pack/size
	KP C I I -63M	Rc 2", plastic/metal Conductive	Male	63	12
	KP C I I -54M	Rc 1 1/2", plastic/metal Conductive	Male	54	15

Conductive reduced termination fittings female, plastic to steel

	Article number	Description	Remark	ø (mm)	Pack/size
	KP C I I -110/90F	Plastic 4"/metal Rc 3" reduced, Conductive	Female	110/90	6
	KP C I I -63/54F	Plastic 2"/metal Rc 1 1/2" reduced, Conductive	Female	63/54	15

Conductive reduced termination fittings male, plastic to steel

	Article number	Description	Remark	ø (mm)	Pack/size
	KP C I I -63/54M	Plastic 2"/metal Rc 1 1/2" reduced, Conductive	Male	63/54	15

Termination/Transition fittings plastic to steel

Conductive termination flange female fittings*


	Article number	Description	Remark	ø (mm)	Packsizes
	KP C12-110F	Plastic 4"/4" int. thread Conductive	Female	110	1
	KP C12-110/90F	Plastic 4"/3" int. thread Conductive	Female	110/90	2
	KP C12-90F	Plastic 3"/3" int. thread Conductive	Female	90	2
	KP C12-90/110F	Plastic 3"/4" int. thread Conductive	Female	90/110	1
* Incl. stub flange and gasket, without bolts					

Conductive termination flange male fittings*

	Article number	Description	Remark	ø (mm)	Packsizes
	KP C12-110M	Plastic 4"/4" ext. thread Conductive	Male	110	1
	KP C12-110/90M	Plastic 4"/3" ext. thread Conductive	Male	110/90	2
	KP C12-90M	Plastic 3"/3" ext. thread Conductive	Male	90	2
	KP C12-90/110M	Plastic 3"/4" ext. thread Conductive	Male	90/110	1
* Incl. stub flange and gasket, without bolts					

Termination/Transition fittings plastic to steel

Conductive termination flange fittings plastic to steel*

	Article number	Description	Remark	ø (mm)	Pack/size
	KP C12-63F	Plastic 2"/to metal flange Rc 2" Conductive	Female	63	10
	KP C12-63FS	Plastic 2"/to metal flange Rc 2" Conductive	Female Stainless steel	63	1
	KP C12-63/54F	Plastic 2"/to metal flange Rc 1 1/2" Conductive	Female	63/54	10
	KP C12-54F	Plastic 1 1/2"/to metal flange Rc 1 1/2" Conductive	Female	54	10
	KP C12-63M	Plastic 2"/to metal flange Rc 2" Conductive	Male	63	10
	KP C12-63/54M	Plastic 2"/to metal flange Rc 1 1/2" Conductive	Male	63/54	10
	KP C12-54M	Plastic 1 1/2"/to metal flange Rc 1 1/2" Conductive	Male	54	10
	KP C12-63	Plastic 2"/to metal flange Conductive		63	10
	KP C12-54	Plastic 1 1/2"/to metal flange Conductive		54	10
				* Incl. stub flange, gasket, and bolts	

Spacers for KPC-12 flanges*

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 13-110/90	Steel spacer	For KPC-12 flanges 3" & 4"	110/90	1
	KP 13-63/54	Steel spacer	For KPC-12 flanges 1 1/2" & 2"	63/54	1
				* Incl. gasket and bolts	
					

Termination/Transition fittings plastic to steel

Conductive stub flanges

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 5-110	Stub flange, Conductive		110	6
	KP 5-90	Stub flange, Conductive		90	10
	KP 5-63	Stub flange, Conductive		63	15
	KP 5-54	Stub flange, Conductive		54	20

Conductive separate flanges DIN Standard

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 6-110	Flange, Conductive	Galv. steel	110	1
	KP 6-110S	Flange, Conductive	Stainless steel	110	1
	KP 6-90	Flange, Conductive	Galv. steel	90	1
	KP 6-63	Flange, Conductive	Galv. steel	63	1
	KP 6-63S	Flange, Conductive	Stainless steel	63	1
	KP 6-54	Flange, Conductive	Galv. steel	54	1

Conductive flanges threaded DIN Standard

	Article number	Description	Remark	ø (mm)	Pack/size
	KPW6-110	Flange, Conductive	Threaded	110	1
	KPW6-90	Flange, Conductive	Threaded	90	1
	KPW6-63	Flange, Conductive	Threaded	63	1
	KPW6-54	Flange, Conductive	Threaded	54	1

Gaskets

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 7-110/90	Gasket		110/90	20
	KP 7-110 DIN	Gasket	DIN-standard *	110	20
	KP 7-63/54	Gasket		63/54	20
					* Only for KPW6-110

Termination/Transition fittings plastic to steel

Transition compression PRK fittings

	Article number	Description	Remark	ø (mm)	Length (m)
	KP PRK-32M	Straight 32 thread R 1 1/2"		32	
	KP PRK-32MR	Straight 32 thread R 1"	Reduced	32	
	KP PRK-25M	Straight 25 thread R 1"		25	

Conductive transition compression fittings

	Article number	Description	Remark	ø (mm)	Pack/size
	KP C14-110M	Thread R4" for pipe ø 110 mm brass		110	1
	KP C14-90M	Thread R3" for pipe ø 90 mm brass		90	1
	KP C14-63M	Thread R2" for pipe ø 63 mm brass		63	1
	KP C14-63/54M	Thread R1 1/2" for pipe ø 63 mm brass		63	1
	KP C14-54M	Thread R1 1/2" for pipe ø 54 mm brass		54	1

Ball & Shut off valves

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 14-025	Ball valve R1"		25	1
	KP 14-040	Ball valve R1 1/2"		54	1
	KP 14-050	Ball valve R2"		63	1
	KP 15-050	Shut off valve R2"		63	1
					

Termination/Transition fittings plastic to steel

Conductive flexible connectors for 1", 1 1/2" and 2" pipes union coupling

	Article number	Description	Remark	ø (mm)	Length (mm)
	KPT25-10S	R 1" male thread Conductive	Stainless steel		1000
	KPT40-6S	R 1 1/2" male thread Conductive	Stainless steel		600
	KPT40-10S	R 1 1/2" male thread Conductive	Stainless steel		1000
	KPT40-13S	R 1 1/2" male thread Conductive	Stainless steel		1300
	KPT50-4S	R 2" male thread Conductive	Stainless steel		400
	KPT50-6S	R 2" male thread Conductive	Stainless steel		600
	KPT50-12S	R 2" male thread Conductive	Stainless steel		1200

Conductive flexible connectors for 1", 1 1/2" and 2" pipes hexagon nipple type

	Article number	Description	Remark	ø (mm)	Length (mm)
	KPTN25-6S	R 1" male thread Conductive	Stainless steel		600
	KPTN25-13S	R 1" male thread Conductive	Stainless steel		1300
	KPTN40-3S	R 1 1/2" male thread Conductive	Stainless steel		300
	KPTN40-4S	R 1 1/2" male thread Conductive	Stainless steel		400
	KPTN40-6S	R 1 1/2" male thread Conductive	Stainless steel		600
	KPTN40-10S	R 1 1/2" male thread Conductive	Stainless steel		1000
	KPTN40-13S	R 1 1/2" male thread Conductive	Stainless steel		1300
	KPTN50-4S	R 2" male thread Conductive	Stainless steel		400
	KPTN50-6S	R 2" male thread Conductive	Stainless steel		600

Steel fittings

Galvanized steel fittings

90 deg elbow	Article number	Description	Remark	Size	Pack/size
	KP 90-025	90 deg elbow	Female	1"	100
	KP 90-040	90 deg elbow	Female	1 1/2"	50
	KP 90-050	90 deg elbow	Female	2"	25
	KP 90-080	90 deg elbow	Female	3"	10
	KP 90-100	90 deg elbow	Female	4"	4
	KP 92-025	90 deg elbow	Male/Female	1"	100
	KP 92-040	90 deg elbow	Male/Female	1 1/2"	50
	KP 92-050	90 deg elbow	Male/Female	2"	25
	KP 92-080	90 deg elbow	Male/Female	3"	10
	KP 92-100	90 deg elbow	Male/Female	4"	4

45 deg elbow	Article number	Description	Remark	Size	Pack/size
	KP 120-025	45 deg elbow	Female	1"	50
	KP 120-040	45 deg elbow	Female	1 1/2"	50
	KP 120-050	45 deg elbow	Female	2"	25
	KP 120-080	45 deg elbow	Female	3"	15
	KP 120-100	45 deg elbow	Female	4"	5
	KP 121-025	45 deg elbow	Male/Female	1"	25
	KP 121-040	45 deg elbow	Male/Female	1 1/2"	35
	KP 121-050	45 deg elbow	Male/Female	2"	25
	KP 121-080	45 deg elbow	Male/Female	3"	10
	KP 121-100	45 deg elbow	Male/Female	4"	5

Tee	Article number	Description	Remark	Size	Pack/size
	KP 130-025	Equal tee		1"	50
	KP 130-040	Equal tee		1 1/2"	25
	KP 130-050	Equal tee		2"	15
	KP 130-080	Equal tee		3"	5
	KP 130-100	Equal tee		4"	4
	KP 130-080/050	Tee reducer		3" x 2" x 2"	5
	KP 180-100	Tee "cross"		2"	10

Steel fittings

Galvanized steel fittings

Reducing Nipple	Article number	Description	Remark	Size	Pack/size
	KP 240-025/015	Reducing Nipple	Female/Female	1"x 1/2"	50
	KP 240-050/025	Reducing Nipple	Female/Female	2"x 1"	50
	KP 240-080/050	Reducing Nipple	Female/Female	3"x 2"	25
	KP 240-100/050	Reducing Nipple	Female/Female	4"x 2"	12
	KP 240-100/080	Reducing Nipple	Female/Female	4"x 3"	10

Reducing hexagon Nipple	Article number	Description	Remark	Size	Pack/size
	KP 241-050/025	Reducing hexagon Nipple		2"x 1"	30
	KP 241-050/040	Reducing hexagon Nipple		2"x 1 1/2"	50
	KP 241-080/040	Reducing hexagon Nipple		3"x 1 1/2"	33
	KP 241-080/050	Reducing hexagon Nipple		3"x 2"	30
	KP 241-100/050	Reducing hexagon Nipple		4"x 2"	10
	KP 241-100/080	Reducing hexagon Nipple		4"x 3"	5
	KP 245-050/040	Reducing Nipple	Male/Male	2"x 1 1/2"	40
	KP 245-080/050	Reducing Nipple	Male/Male	3"x 2"	20
	KP 245-100/080	Reducing Nipple	Male/Male	4"x 3"	10

Hexagon Nipple	Article number	Description	Remark	Size	Pack/size
	KP 270-025	Hexagon Nipple	Parallel Socket	1"	100
	KP 270-040	Hexagon Nipple	Parallel Socket	1 1/2"	50
	KP 270-050	Hexagon Nipple	Parallel Socket	2"	40
	KP 270-080	Hexagon Nipple	Parallel Socket	3"	15
	KP 270-100	Hexagon Nipple	Parallel Socket	4"	10
	KP 280-025	Hexagon Nipple		1"	50
	KP 280-040	Hexagon Nipple		1 1/2"	60
	KP 280-050	Hexagon Nipple		2"	40
	KP 280-080	Hexagon Nipple		3"	20
	KP 280-100	Hexagon Nipple		4"	12

Steel fittings

Galvanized steel fittings

Hollow Plug	Article number	Description	Remark	Size	Pack/size
	KP 291-025	Hollow Plug		1"	100
	KP 291-040	Hollow Plug		1 1/2"	100
	KP 291-050	Hollow Plug		2"	50
	KP 291-080	Hollow Plug		3"	30
	KP 291-100	Hollow Plug		4"	20

Hexagon Plug	Article number	Description	Remark	Size	Pack/size
	KP 300-025	Hexagon Plug		1"	100
	KP 300-040	Hexagon Plug		1 1/2"	100
	KP 300-050	Hexagon Plug		2"	50
	KP 300-080	Hexagon Plug		3"	52
	KP 300-100	Hexagon Plug		4"	15

UNION Fitting	Article number	Description	Remark	Size	Pack/size
	KP 340-025	UNION Fitting	Female	1"	25
	KP 340-040	UNION Fitting	Female	1 1/2"	25
	KP 340-050	UNION Fitting	Female	2"	25
	KP 340-080	UNION Fitting	Female	3"	6
	KP 340-100	UNION Fitting	Female	4"	5
	KP 341-025	UNION Fitting	Male/Female	1"	25
	KP 341-040	UNION Fitting	Male/Female	1 1/2"	25
	KP 341-050	UNION Fitting	Male/Female	2"	20
	KP 341-080	UNION Fitting	Male/Female	3"	5

Barrel Nipple	Article number	Description	Remark	Size	Pack/size
	KP 530-025	Barrel Nipple	Male/Male	1"	50
	KP 530-040	Barrel Nipple	Male/Male	1 1/2"	60
	KP 530-050	Barrel Nipple	Male/Male	2"	42
	KP 530-080	Barrel Nipple	Male/Male	3"	15
	KP 530-100	Barrel Nipple	Male/Male	4"	6

Tank chambers and accessories

Tank chamber systems

	Article number	Description	Remark
	KPTCS1400RF	Tank chamber system round tank flange, 1400 mm Including: KPTC1400RF tank chamber round tank flange, 1400 mm KP MC940D manhole cover system 40 ton	Glassfibre
	KPTCS530SB	Fill box system solid base, 530 mm, Including: KPTC530SB solid base system, 530 mm KP MC530D manhole cover system 40 ton	Glassfibre
			

Tank chambers

	Article number	Description	Remark
	KPTC1400RF	Tank chamber with round tank flange Including: KPTCB1400RF, base chamber, round tank flange, 1400 mm KPTCC804 corbel KPTCL856 lid KPTCIK1400 tank chamber installation kit	Glassfibre
	KPTC1400RFS	Tank chamber with round tank flange, shallow Including: KPTCB1400RFS, base chamber, round tank flange, H=450 mm KPTCC804 corbel KPTCL856 lid KPTCIK1400 tank chamber installation kit	Glassfibre
	KPTC530SB	Fill box solid base system, 530 mm Including: KPTCB530 solid base, 530 mm KPTCC530 corbel KPTCIK530 tank chamber installation kit	Glassfibre

Tank chambers and accessories

Manhole covers

	Article number	Description
	KP MC940D	Manhole cover 40 ton Including: KP MCC940D Cover 40 ton KP MCF940D Frame 40 ton KP MCS890 Skirt
	KP MC530D	Manhole cover system 40 ton KP MCC530D Cover 40 ton KP MCF530D Frame 40 ton
	KP HLI000	Handle for Manhole covers
		

Dispenser chambers

	Article number	Description	Remark	Width x Length x Height (mm)
	KP DC29	Dispenser chamber	Polyethylene	724 x 762 x 902
	KP DC48	Dispenser chamber	Polyethylene	1180 x 762 x 902

Entry boots

	Article number	Description	Remark	ø (mm)	Pack/size
	KP M160/90	Rubber seal	Universal	160-90	6
	KP M75/54	Rubber seal	Universal	75-54	15

Tank chambers and accessories

Entry boot installation kit

	Article number	Description	Pack/size
	KP 312-PE	Entry boot installation kit for polyethylene Includes drill template for KP M75/54, drill template for KP M160/90, one hard metal drill Ø9 for polyethylene Hole saw adapter for drilling machine. Hole saw Polyethylene fl 92 mm, fl 114 mm, fl 140 mm and fl 168 mm	I
	KP 312-GRP	Entry boot installation kit for glassfibre Includes drill template for KP M75/54, drill template for KP M160/90, one hard metal drill Ø9 for glassfibre Hole saw adapter for drilling machine. Hole saw GRP fl 92 mm, fl 114 mm, fl 140 mm and fl 168 mm	I

Hole saws to KP 312

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 312-007	Hole saw Polyethylene		fl 92 mm	I
	KP 312-014	Hole saw Polyethylene		fl 114 mm	I
	KP 312-009	Hole saw Polyethylene		fl 140 mm	I
	KP 312-015	Hole saw Polyethylene		fl 168 mm	I
	KP 312-006	Hole saw GRP		fl 92 mm	I
	KP 312-016	Hole saw GRP		fl 114mm	I
	KP 312-008	Hole saw GRP		fl 140mm	I
	KP 312-017	Hole saw GRP		fl 168mm	I
	KP 312-010	Hole saw adapter for drilling machine			I

Pressure test kit

	Article number	Description	Pack/size
	KP 313	Pressure test kit Tests up to six lines simultaneously. Includes pressure gauge system module, fittings to test five 1,5" lines, five 2" lines, two 3" lines and two 4" lines. All pressure gauges and fittings are equipped with quick couplings for Ø8 mm PA hose.	I
	KP 314	Chamber vacuum test kit	I
			

Tools and accessories

Welding equipment

	Article number	Description	Remark	Pack/size
	KP 106	Welding machine	I 10/220V	I
	KP 311	Welding kit I Includes welding machine, rotating pipe cutter 50-127 mm, Pipe scissor 0-63 mm, three welding fixtures 45-75 mm, Welding fixture 50-125 mm, carrier plate, rubber hammer, emery cloth handle, emery cloth, catch and kit box.		I
				

Welding cables*

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 600-101	Orange	E3	2	I
	KP 600-102	Orange	E4/E5	2	I
	KP 610-101	Grey	E3	4	I
	KP 610-102	Grey	E4/E5	4	I
	KP 610-106	Cable adapter **	KP 106	2 and 4	I
			* Grey cable for use with fittings (4 mm pins): KP 2-125/I 10SC * Orange cable for use with all weldable fittings and welding sockets (2 mm pins): KP 2-110, KP 2-90, KP 2-63, KP 2-54 ** Only for KP 106, welding machine		

Welding accessories

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 1000	Welding fixture		45-75	I
	KP 2000	Welding fixture		50-125	I
	KP 3000	Welding fixture kit incl. 5 X KP 1000 + 2 X KP 2000.			
					

Tools and accessories

Scissors

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 400	Pipe scissors		0-63 mm	I

Cutter

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 475	Pipe cutter		50-127 mm	I


Scraper

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 505	Scraper			I

Emery cloth handle

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 311-003	Rotating handle for emery cloth			I

Kit box

	Article number	Description	Remark	ø (mm)	Pack/size
	KP 901	Box			I